# <section-header><section-header><section-header>

STHEON

### 200L PROFESSIONAL TRUKPAK SPRAYERS

11

GATOR

<sup>\$</sup>1,259

-

\$1<u>,259</u>

Self contained space saving sprayers, ideally suited for UTV, side by sides, utilities, trailers and carryalls.

More information on Page 2





TO LEARN MORE



www.fsme.com.au

### **12V SPRAYERS & ACCESSORIES**

### **REDLINE SPRAYERS - 25L & 55L**

#### Ideal for weed control and spot spraying.

- 550mm stainless steel spray lance and adjustable nozzle
- 6m of delivery hose
- 3m wiring harness with alligator clips
- 25L: 2.6L/min open flow, 3.3 Bar/50psi pump.
- Available in 12V (SP25-R1) and rechargeable versions (SP25-B)
- 55L: 2.6L/min (open flow) 3.3 Bar/50psi max pressure



### **REDLINE TRAILER KITS**

Converts a Redline into a trailed sprayer for spraying larger areas with ride-on mowers.

- Powder coated steel frame with adjustable double tongue hitch
- Large pneumatic wheels for smoother ride and better manoeuvrabilitv
- 16" x 4.8" wheels



### silua udes conven spray shield TURED: SP55-51 RAY BOOM & TRAILER NOT INCLUDED

#### **BOOMLESS NOZZLE KITS FOR REDLINE 55L & 100L SPRAYERS**

Adapts a trailed Redline into a boom sprayer with the kit matched to the pump. An included swivel nozzle holder allows coverage to be adjusted.

• Kit comes with 2 nozzles, 2m for 55L & 3m spray width for 100L sprayer • Easy assembly

OWBAR BOOM

DD1\_20



#### SPRAY BOOM 3 NOZZLE KIT

- Suit 55L Redline and the New model 25L Trolley sprayer
- · Poly spray tube with flat fan spray nozzles
- 1m boom width, 1.5m spray swath
- Supplied with mounting and plumbing kit



### 200L PROFESSIONAL TRUKPAK SPRAYERS

Professional self contained space saving sprayers, ideally suited for UTV, side by sides , utilities, trailers and carryalls.

- Boomless nozzles and small booms can be added to reduce spray time.
- Smoothflo pulsation free pump 7L/min open flow max pressure 8Bar/120psi • PA spraygun with 500mm lance and a range of nozzles for distance and close spraying applications
- 4 Brass inserts in the bottom or the tank for permanent fixing to a tray
- 3m wiring harness with alligator clips to connect to the 12 volt power source

TK200-S7-1: 30m (10mm) ID Manual Rewind Hosereel

- Powder coated metal hosereel with hub locking pin
- 4 hosereel position points, North/South or East/West
- TK200-S7-2: 15m Retractable Hosereel (Pictured)
- 270 degrees swivelling body to easily move around the tray
- Easy to retract, just pull on the hose and return to the unit

### 200L HI PRESSURE PROFESSIONAL TRUKPAK SPRAYERS

Professional self contained space saving sprayers, ideally suited for UTV, side by sides, utilities, trailers and carryalls where extra distance spraying applications are required.

- Premium Quality Aquatec HI Pressure pump 5L/min max pressure 13Bar/200psi
- Jetpro Spraygun, adjustable by the trigger for distance and close spraying applications
- 4 Brass inserts in the bottom or the tank for permanent fixing to a tray
- 3m wiring harness with alligator clips to connect to the 12 volt power source
- TK200-S9-1: 30m (10mm) ID Manual Rewind Hosereel (Pictured)
- Powder coated metal hosereel with hub locking pin
- 4 hosereel position points, North/South or East/West

### TK200-S9-2: 15m Retractable Hosereel

- 270 degrees swivelling body to easily move around the tray
- Easy to retract, just pull on the hose and return to the unit





with us

Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU



#### **300L SQUATPAK** PROFESSIONAL SPRAYERS SQ300-S7-1: SMOOTHFLO

- 7 L/min, 8 bar / 120 psi premium quality 12 Volt Aquatec pump
- 30m hose reel x 10mm agricultural delivery hose and Atomiser spray gun

### SQ300-S8-1: HI CAPACITY

- 20 L/min 12 Volt Hi Capacity 4 Bar/60 psi Aquatec pump
- Pressure regulator and gauge fitted, that allows operators to adjust pressures when spot spraying, boomless nozzle spraying or boom spraying





### QUAD BIKE SPRAYERS

to fit neatly on quad bikes and meet the strict weight requirement of these vehicles. The wrap-around design allows for a lower centre of gravity, essential for

- Selecta 5.3L/min open flow pump, 4 Bar/60psi max pressure
- Spotjet spraygun with 500mm stainless steel lance



SIZE 05

#### **BRASS BOOMLESS NOZZLE KIT** WITH SINGLE OR DOUBLE SIDED SWATH

PICTURED: M99-65

#### M99-65 (size 02)

- Pump flow suitable is 7L/Min (DDP-552A -
- Spray Swath 90° from 3.4m or 180° 7.6m
- M99-66 (size 05)
- Pump flow suitable is 11 -14L/Min 381-125, 361-2088 or DDP-555
- Spray Swath 90° from 3.8m or 180° 7.6m

### 12V SMOOTHFLO SPOTPAK SPRAYERS - 100L & 200L

Ideal for weed control, spot & fence line spraying applications. The Smoothflo SpotPak Sprayer Series delivers constant flow, no pulsation and the highest pressure for distance spraying. Suitable for use with side by sides, utes, trays & trailers, with UV stabilised Polytuff tanks to ensure long life.

- 7L/min (open flow) 8 Bar/120psi max pressure
- Pump is recessed within tank for protection
- Spotjet spray gun with 600mm stainless steel lance & adjustable nozzle with tank clips for neat and easy spray gun storage
- 6 metres of 8mm delivery hose
- Drain plug 3/4" for easy clean and empty
- Non-spill lid, in-built carry handles
- 3 metre battery cable with alligator clips
- Ideal for use with up to 30m of 10mm hose

NON DRIP MODULES WITH AIR INDUCTION NOZZLES FOR DRIFT REDUCTION

Suitable for use with M99-65 boomless nozzle





### TOWBAR PAK BOOM

- Galvanised 50x50mm to suit Hayman Reece type towbar socket
- 1.5m stainless steel spray tube, spray width 2m
- 5 Height adjustment settings
- Supplied with connecting delivery hose and on/off tap
- Included breakaway clips • (boom unclips if an obstruction is hit)



### **70L RAKPAK PLUS SPRAYERS**

The Silvan Rakpak Plus sprayers incorporate premium features for added convenience at the highest quality. With a choice of pump to suit your spot or boom spraying needs.

**RP70N-S7** features a Aquatec Smoothflo 7L/min (open flow) pump with constant flow technology for no pulsation spraying 8 Bar/120psi max pressure

RP70N-S10 Features an Aquatec 14L/min open flow pump 4 Bar/60 psi



#### UNIVERSAL BOOMLESS NOZZLE KIT Ideal for ATV'S, side by sides,

carts and trailers.

- Can spray single or both sides
- Adjustable for fenceline spraying
- Single side spray suits pumps
- 5-10L/min (60psi) • Double side spray suits
- pump10-20L/min (60psi) Large droplets

WAS \$151 ideal for herbicide applications



SINGLE 3.7m OR DOUBLE 7.6m NOZZLE



SIZE 02

M99-6



### 30 L x 1090 W x 890 H (mm) 930 L x 1090 W x 890 H (mm) 50L & 70L Silvan Quad Bike sprayers are designed

improved quad bike safety.

### **12V SPRAYERS & ACCESSORIES**

#### NEW RELEASE **100L RECHARGEABLE 12V WHEELBARROW SPRAYER**

This unit has been developed for spraying applications in vegetable gardens, nurseries, greenhouses, vineyards and orchards. Offering a low noise, no engine to start, exhaust fume free alternative for growers requiring a sprayer than can be taken into a hot house and produces a fine droplet/ atomiser spray pattern. The sprayer is compact in design and well balanced to allow easy handling and operation in very small spaces.

- 100L Capacity tank with a 5L fresh water tank
- 240 volt charger included

BOOMLESS NOZZLE OPTION

- Battery box with integrated Aquatec 13 Bar/200psi max pressure pump offering 5L/Min open flow, battery & charging socket.
- Eco hosereel with 30m x 10mm ID hose & adjustable Atomiser spray gun
- Powder coated frame with 330mm diameter pneumatic tyres





### **300L LIGHTFOOT** TRAILED SPRAYERS

Professional trailed sprayer designed to be attached to the rear of a Utility, ATV, UTV or a side by side vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm.

- Aquatec pump 20L/min open flow or max 60psi pressure regulator
- Mud puppy tyres for extra stability
- Parking stand and adjustable drawbar

ONG

- 50mm tow hitch
- Wiring harness with on/off switch box LT30-S8-1 BOOMLESS NOZZLE

OPTIONAL 150m HOSE & ELECTRIC START. CALL FOR ALTERNATE SIZES & AVAILABLE OPTIONS

- Twin boomless nozzles
- Maximum 7.4m spray width



6m hose Spotjet spraygun and

• Extra coarse spray droplets • Ideal for herbicide and liquid fertiliser

application

 30m hosereel and adjustable Atomiser spraygun



#### **400L SKID SPRAYER WITH 12V SINGLE REEL TUFF REMOTE REEL**

- Honda 5.5HP engine with high quality high pressure Italian diaphragm pump
- 38L min (open flow) 40 Bar/580psi max pressure
- Supplied with Turbo 400 spray guns to produce a mist to a pencil straight stream spray pattern



### 30m ECO HOSE REEL

Powder coated steel

VouTub

• Supplied with 30m of 3/8" ag hose

80603010

- Lockable hub with locking pin
- Common foot print suits 300L Lighfoot and 400L/800L Squatpak tanks

### 3m & 4m CROSS FOLD BOOMS

Break back device protects boom if an obstruction is hit

- Designed for rear carry-all on most ATVs
- Adjustable height and guick fold mechanism
- Non-drip nozzle assemblies
- Mounting brackets supplied
- Stainless steel spraylines

PICTURED: 200L TRAYLINK (K02A)

Air induction nozzles

PICTURED: 3M CROSS FOLD BOOM RP1-25



#### 10m & 15m RETRACTABLE SPRING HOSE REELS

- 1/4" BSP M outlet connection
- 180L01008A: 10m Hose 16 Bar/240psi max

TRAYLINK SPRAYERS

The Traylink sprayers eliminate the need for a PTO connection for small to

medium boom spraying. The frames (CAT1) can be fitted to small HP tractors,

utilities, side by sides and trailers by only requiring a 12 volt connection for the

Twin boomless nozzle up to 7.4m spray

6m hose, Spotjet spraygun with

200L & 300L

high capacity pump.

adjustable nozzle

**: /** 

coverage

- pressure
- 10m of 8mm ID hose 180J1510A: 15m Hose
- 20 Bar/290psi max
- pressure (15m) 15m of 10mm ID hose

IDEAL TO USE WITH 100L REDLINE SPRAYER & SMOOTHFLO SPRAYERS



Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU





Prices include GST, exclude dealer installation and/or freight charges



TTI110\*\*\*

AIXR110\*

### **SPRAY GUNS & NOZZLES**

### SILVAN JETPRO SPRAY GUN

Ergonomic design for comfortable grip to reduce fatigue.

- Strong corrosion resistant lance with non-drip shut-off at nozzle
- Professional spray gun, that has the ability to deliver a straight stream to a cone spray pattern by easily adjusting the trigger



MAX PRESSURE 40 BAR (580psi) TO SUPPORT ATOMISING SPRAY FOR GREATER COVERAGE

### TRIGJET SPRAY GUNS

### 150mm SPRAY GUN (410-60)

- Stainless steel lance 150mm Length
- Sprav gun overall Length 370mm
- 500mm SPRAY GUN (410-61)
- Stainless steel lance 500mm Length Spray gun overall length 730mm

#### MAX PRESSURE 30BAR (435PSI)



GE057 SPRAY GUN

WAS \$119

# REPLACEMENT SPRAYER PUMPS

### SHURFLO 8000 12V PUMP

2.4-D COMPLIANT NOZZLES

**TURBO TEEJET INDUCTION** 

**AIXR AIR INDUCTION NOZZLES** 

(TTI)

• Sizes Available:

Sizes Available:

015.02.025.03. 04,05,06

04,05,06

015.02.025.03

- 6.8L/Min open flow, 4 Bar/60psi max pressure
- Viton valves, Santo diaphragm
- 1/2" BSP male ports



### SHURFLO 2088 12V PUMP

- 11.3L/Min open flow, 3 Bar/45psi max pressure
- Viton valves, Santo diaphragm
- 1/2" BSP male ports



### **3 OUTLET CONTROL**

3 outlet control, pressure regulator, bypass valve, gauge. Manufactured from Rilsan Plastic. Controls include remote mount kit (C5004-05)





### AQUATEC 12V SMOOTHFLO PUMP

- 7L/Min open flow, 8 Bar/120psi max pressure •
- Viton Valves, Santo diaphragm
- 3/8" BSP Female ports
- Constanf flow technology

### Pulsation free





### AQUATEC 12V HIGH CAPACITY PUMP

- Viton Valves, Santo diaphragm
- 20L/Min open flow,4 Bar/60psi max pressure
- Supplied with 5D connections: 2 x ½" and 2 x ¾





### **4 OUTLET CONTROL**

One lever 4 outlet control shuts all boom sections off by simply flicking main lever to one side, standard with dual stage gauge. Supplied with remote bracket kit (05004-05)

### SUITABLE FOR THE 60/20

### SILVAN 60/20 PTO PUMP

• 58 L/Min open flow, 20 Bar/290psi max pressure

SILVAN ATOMISER SPRAY GUN

A Heavy duty spray gun designed for professional

and general spraying with an ergonomic handle to

maintain comfort of use. An adjustable spray lever changes spray from straight stream to conical mist.

Adjustable spray nozzle provides a straight stream

40 BAR

MAXIMUM RESSURE

- 1 3/8 six splined shaft
- Supplied with hose connections and mounting base plate

MADE CEBUYU3U IN ITALY



### SILVAN 125/20 PTO PUMP

- 121 L/Min open flow, 20 Bar/290psi max pressure
- 1 3/8 six splined shaft

WAS \$1.749

CBP12520

 Supplied with hose connections and mounting base plate



MADE

IN ITALY

FERRONI NYLON ROLLER PUMP

fitted direct to the PTO of any 540 RPM

tractor to meet your water

spraying or transfer needs.

These compact self-priming pumps can be quickly

### PORTABLE SPRAYERS

### **15L BACKPACK SPRAYER**

- Large capacity 15L UV stabilised poly tank
- Translucent tank with graduated fill markings with carry handle when empty
- Large lid and strainer for guick filling • Thick padded shoulder straps
- for user comfort • Piston pump with left
- and right-handed operation and ergonomic hand grip Poly lockable trigger
- with 500mm stainless steel lance
- Supplied with flat fan and adjustable nozzle for precision spraying applications

**PROGRADE PROFESSIONAL SPRAYERS** 

Thick walled heavy duty tanks with 5 year warranty

Chemical resistant seals, long lasting

Internal filtration to reduce clogging



1905



### **16L RECHARGEABLE BACKPACK SPRAYER**

- UV stabilised polytuff tank
- Rechargeable 7.4V Li-Ion battery with charger
- Adjustable nozzle included (fine mist to coarse pencil straight stream)
- Auto on/off pressure switch triggered when using spray lance
- 240 volt battery charger
- 1.5L/min open flow (275kpa/40psi max.) reliable 40psi pump
- Contoured design for back comfort





### **13L HEAVY DUTY TROLLEY SPRAYER**

Viton equipped professional quality pressure sprayer for accurate application of herbicide, pesticide, fertiliser, degreaser & cleaning products.

- Ideal for weed control around the house, nurseries, parks and gardens
- Viton equipped professional quality sprayer
- 3 Bar max pressure with release valve
- Adjustable length lance (800mm to 1150mm)

ALUMINIUM TELESCOPIC SPRAY GUN EXTENDS TO 1.15m



### **20L RECHARGEABLE UPRIGHT** TROLLEY SPRAYER

Upright design minimises space requirements. Suitable for weedicide, herbicide, insecticide, fungicide, pesticide, organic and green formulation.

- Portable sprayer with its own 12V battery
- Heavy duty construction frame with removable handle
- Impact resistant polyethylene UV stabilised tank
- 240V battery recharger
- Smoothflo 12V diaphragm pump max 7L/min open flow 120psi
- Pressures regulator to apply chemicals at required pressure
- Spotjet 600mm stainless steel lance, with 6m hose
- Pneumatic tyres







Connect fin C (Call 1300 SILVAN (745 826) with us or visit SILVAN.COM.AU

Prices include GST, exclude dealer installation and/or freight charges



& DRIFT REDUCTION NOZZLES INCLUDED 8 I ITRE

• Sprayers can be operated up to 120psi. Ideal for distance spraying applications

• Large internal piston, easy operation with maximum performance

Stainless steel spray lance with lockable professional trigger

• 4 different spray nozzles, suitable for a variety of applications

LOW FLOW FLAT FAN, HI FLOW FLAT FAN

Suitable for Liquid and Powered agricultural chemicals and disinfectant





# FIREFIGHTERS - 400L UP TO 2200L



FARM SUPPLIES

### **12V DIESEL TRANSFER & ACCESSORIES**



Call 1300 SILVAN (745 826) or visit SILVAN.COM.AU

Connect

with us

### **ASSET PROTECTION**





# FOAM MARKERS & GPS


\$398

nF(

### FOAM MARKERS

Designed for the spray operator to have a visual reference of the areas sprayed with a boom.

- 14L MODEL 042M
- 12V fully sealed, dust free compressor
- 10m delivery hose
- Ideal for ATV bikes & Sibe by Sides
- 16L MODEL 042D-16RLSG 12V fully sealed, dust free compressor
- Ideal for Spray tanks up to 800L capacity
- 16m delivery hose & double foam droppers.



1km LINE SIGHT 0F RANGE

\$258

Use GPS technology to help guide tractors and machinery for optimal application when boom spraying to minimise spray overlap/underlap.

• High-contrast, full colour, 4.3in / 110mm graphic touch screen display provides superior visibility in bright light conditions



MATRIX 430 KIT, PATCH ANTENNA, LIGHTER CONNECTOR ALSO HAS A USB PORT. USES FREE SBAS SIGNAL

VAS \$530

WAS \$642

9





WAS \$239

209

FUIRE

**OPERATED** 

### AROUND THE FARM



Call 1300 SILVAN (745 826) or visit SILVAN.COM.AU

10

Connect

with us

### **SPRAYING & FARM MACHINERY**

### **REDLINK LINKAGE SPRAYER**

- 400L tank capacity
- 6m galvanised manual fold boo
- 30m spot spraying ki





- 400L & 600L tank capacities
- 6m galvanised manual fold boom
- 30m rear mounted Eco hosereel
- 58L/min (2000kPa) pump



### PASTUREPAK LINKAGE SPRAYERS

- 600 or 800L tank capacities
- 8m fully galvanised boom with air induction nozzles and nozzle protection
- 20m Hose reel withJetpro spray gun
- 58L/min (2000kPa) pump



### **R150 SPREADER**

The trailed R150 ATV spreader is ground driven and designed for spreading fertiliser on sporting fields, lawn and pasture. It is ideal for towing behind compact tractors, side by side vehicles or ride on mowers.

- Two piece cast gearbox with constant drive
- 6.00 x 15" pneumatic tyres





#### GENERAL PURPOSE SLASHERS Ideally suited to clearing paddocks, fields and private

roadsides where general cutting is required with a low HP tractor.

- 3'6", 4', 4'6" and 5' cutting widths
- 40 HP gearbox
- Centre mount and offset
- Front and rear rubber stoneguards
  Adjustable skids from 50 - 90mm cutting height.



PICTURED: 5' MODEL







PICTURED: KBC400

### **POLY HOPPER SPREADER**

Suitable for small to medium spreading applications. Capable of spreading a wide variety of products including fertiliser and seed.

- 350L corrosion resistant UV
   stabilised polyethylene
- Stainless steel metering and spreading discs
- Optional hopper cover & single or double-sided conveyors available







### SILVAN SPRAYING & FARM EQUIPMENT AVAILABLE THROUGH YOUR LOCAL SILVAN MASTER DEALER OR SELECTA PLUS DEALER ONLY



# **WORKSHOP & LIGHTING**



All items in this catalogue have been included in good faith on the basis that goods described were available at the time this catalogue was published. Failure of suppliers to deliver in accordance with samples, descriptions, or at all, or other unintentional causes may result in some lines being unavailable. Space may prevent some participating dealers from stocking all items. All brand names and product names used in this publication are trade names, registered trade marks, or pending trade marks of their respective owners.

\*PRICES INC. GST, EXC. DEALER INSTALLATION AND/OR FREIGHT CHARGES. COPYRIGHT © SILVAN AUSTRALIA PTY. LTD. 2021 Ref: SEL-AUTUMN-21 (FSME)



Machinery & Equipment

MANUFACTURERS & DISTRIBUTORS