

# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

The logo for SureFire, featuring the word "SureFire" in a white, sans-serif font. The letter "i" in "Sure" has a stylized green sunburst or flame-like graphic above it.

## DICAMBA M

### SELECTIVE HERBICIDE

ACTIVE CONSTITUENTS: 340 g/L MCPA  
(present as the dimethylamine salt)  
80 g/L DICAMBA (present as the dimethylamine salt)

GROUP I HERBICIDE

For the control of certain broadleaf weeds in  
winter cereals, pastures, turf and non-crop areas

IMPORTANT: READ THE ATTACHED LEAFLET  
BEFORE USING THIS PRODUCT

Contents 1 Litre



APVMA Approval No: 62657/1L/0108

\*SUREFIRE is a registered trademark of PCT INTERNATIONAL PTY LTD  
(PCT Holdings Pty Ltd ABN 11 099 023 962)

1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pct.au.com>

CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food, feedstuffs, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and products should not be burnt.

Refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

## SAFETY DIRECTIONS

Harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. DO NOT inhale vapour. Repeated exposure may cause allergic disorders. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves, face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. If product in eyes, wash out immediately with water. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor, or Poisons Information Centre.  
Phone Australia 131126.

## MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at <http://pct.au.com>

## NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

**APVMA Approval No: 62657/1L/0108**

Batch No.  
DOM



# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

The logo for SureFire, featuring the word "SureFire" in a white, sans-serif font. Above the letter "i" in "Sure" is a stylized sunburst or flame icon.

## DICAMBA M

### SELECTIVE HERBICIDE

ACTIVE CONSTITUENTS: 340 g/L MCPA  
(present as the dimethylamine salt)  
80 g/L DICAMBA (present as the dimethylamine salt)

GROUP I HERBICIDE

For the control of certain broadleaf weeds in  
winter cereals, pastures, turf and non-crop areas

IMPORTANT: READ THE ATTACHED LEAFLET  
BEFORE USING THIS PRODUCT

**Contents 5 Litres**

The logo for PCT Holdings Pty Ltd, featuring a stylized green and yellow sunburst icon to the left of the letters "PCT" in a bold, green, sans-serif font. Below "PCT" is the text "HOLDINGS PTY LTD" in a smaller, green, sans-serif font.

**APVMA Approval No: 62657/5L/0108**

\*SUREFIRE is a registered trademark of PCT INTERNATIONAL PTY LTD  
(PCT Holdings Pty Ltd ABN 11 099 023 962)

1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pct.au.com>

CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food, feedstuffs, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and products should not be burnt.

Refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

## SAFETY DIRECTIONS

Harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. DO NOT inhale vapour. Repeated exposure may cause allergic disorders. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves, face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. If product in eyes, wash out immediately with water. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor, or Poisons Information Centre.  
Phone Australia 131126.

## MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at <http://pct.au.com>

## NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

**APVMA Approval No: 62657/5L/0108**

Batch No.  
DOM



# CAUTION

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



## DICAMBA M

### SELECTIVE HERBICIDE

**ACTIVE CONSTITUENTS: 340 g/L MCPA  
(present as the dimethylamine salt)  
80 g/L DICAMBA (present as the dimethylamine salt)**

**GROUP I HERBICIDE**

For the control of certain broadleaf weeds in winter cereals, pastures, turf and non-crop areas

**IMPORTANT: READ THE ATTACHED LEAFLET  
BEFORE USING THIS PRODUCT**

**CONTENTS 20 Litres**



APVMA Approval No: 62657/20L/0108  
\*Surefire is a registered trademark of PCT INTERNATIONAL PTY LTD  
(PCT Holdings Pty Ltd ABN 11 099 023 962)  
1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pct.au.com>  
CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food, feedstuffs, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and products should not be burnt.

Refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

## SAFETY DIRECTIONS

Harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. DO NOT inhale vapour. Repeated exposure may cause allergic disorders. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves, face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. If product in eyes, wash out immediately with water. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor, or Poisons Information Centre.

Phone Australia 131126.

## MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at <http://pct.au.com>

## NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

**APVMA Approval No: 62657/20L/0108**

Batch No.

DOM



# CAUTION

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



## DICAMBA M

### SELECTIVE HERBICIDE

**ACTIVE CONSTITUENTS: 340 g/L MCPA  
(present as the dimethylamine salt)  
80 g/L DICAMBA (present as the dimethylamine salt)**

**GROUP I HERBICIDE**

For the control of certain broadleaf weeds in winter cereals, pastures, turf and non-crop areas

**IMPORTANT: READ THE ATTACHED LEAFLET  
BEFORE USING THIS PRODUCT**

**CONTENTS 200 Litres**



APVMA Approval No: 62657/200L/0108  
\*Surefire is a registered trademark of PCT INTERNATIONAL PTY LTD  
(PCT Holdings Pty Ltd ABN 11 099 023 962)  
1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pct.au.com>  
CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food, feedstuffs, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and products should not be burnt.

Refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

## SAFETY DIRECTIONS

Harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. DO NOT inhale vapour. Repeated exposure may cause allergic disorders. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves, face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. If product in eyes, wash out immediately with water. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor, or Poisons Information Centre.

Phone Australia 131126.

## MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at <http://pct.au.com>

## NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

**APVMA Approval No: 62657/200L/0108**

Batch No.

DOM





## CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**SureFire**

# DICAMBA M

**SELECTIVE HERBICIDE**

ACTIVE CONSTITUENTS: 340 g/L MCPA (present as the dimethylamine salt)

80 g/L DICAMBA (present as the dimethylamine salt)

**GROUP**

**I**

**HERBICIDE**

*For the control of certain broadleaf weeds in winter cereals, pastures, turf and non-crop areas.*

**IMPORTANT: READ THIS LEAFLET BEFORE USE**



**PCT**

HOLDINGS PTY LTD

**APVMA Approval No: 62657/0108**

\*SUREFIRE is a registered trademark of PCT INTERNATIONAL PTY LTD  
(PCT Holdings Pty Ltd ABN 11 099 023 962)

1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pct.au.com>

CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877



**DIRECTIONS FOR USE:**

**RESTRAINTS:** DO NOT spray when rain seems likely to occur within 4 hours.  
 DO NOT spray when weeds are wet with dew or rain or under stress from drought, low soil fertility, extreme cold or water logging.  
 DO NOT spray outside crop growth stages recommended as crop damage may result.  
 DO NOT apply to crops or grass pastures undersown with clover, lucerne or medics.  
 DO NOT apply to legume pastures.  
 DO NOT apply to plants suffering from stress.

Crop & Situation	Weeds	State	Rate	Critical Comments
Barley, Commercial Rye, Oats, Triticale, Wheat  From early tillering stage (Zadoks 21)	Capeweed, Charlock, Common Ice-Plant, seedling Docks, Doublegee, (Three-cornered Jack, Spiny Emex), Hexham Scent (Melilotus), Mustards, Soldier Thistle, Sorrel seedlings, Tares, Tree Hogweed, Turnip Weed ( <i>Rapistrum rugosum</i> ), Vetches, Ward's Weed, Wild Radish, Wild Turnip ( <i>Brassica toumefortii</i> ), Wireweed (Hogweed)	All States	1 L/ha	Spray when most weeds are in the 2 to 4 leaf stage. In some instances suppression only of wireweed (hogweed), capeweed and wild radish will occur.
	Seedling Cotton Thistle, Fat Hen	Tas only		
Barley, Commercial Rye, Oats, Triticale, Wheat  From early tillering stage (Zadoks 21) until the fully tillered stage and before jointing occurs (Zadoks 30)	Cotton Thistle to bud formation	Tas only	1.7 L/ha	Spray when most weeds are still in the rosette or seedling stage.  N.B. Wild radish may need to be re-sprayed (with 2,4-D or MCPA) if future germinations occur after spraying. In some instances, suppression only of wireweed (hogweed), hoary cress and climbing buckwheat will be obtained.
	Mintweed, New Zealand Spinach	Qld, NSW only		
	Capeweed, Charlock, Chickweed, Climbing Buckwheat (Black Bindweed), Clover, Common Ice-Plant, seedling Docks, Doublegee (Three-cornered Jack, Spiny Emex), Fat-Hen, Hexham Scent (Melilotus), seedling Hoary Cress, Mouse-eared Chickweed, Mustards, Narrow-leaved Plantain, Saffron Thistle, Spurry, Swinecress, Tares, Tree Hogweed, Turnip Weed ( <i>Rapistrum rugosum</i> ), Variegated Thistle, Vetch, Wild Radish, Wild Turnip ( <i>Brassica toumefortii</i> ), Wireweed (Hogweed)	Qld, NSW, Tas, WA, Vic only	SA only	1.4 L/ha



**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food, feedstuffs, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and products should not be burnt.  
 Refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

**SAFETY DIRECTIONS**

Harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. DO NOT inhale vapour. Repeated exposure may cause allergic disorders. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves, face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. If product in eyes, wash out immediately with water. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID**

If poisoning occurs, contact a doctor, or Poisons Information Centre. Phone Australia 131126.

**MATERIAL SAFETY DATA SHEET**

Additional information is listed on the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at <http://pct.au.com>

**NOTICE**

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

**APVMA Approval No.: 62657/0108**

\* registered trademark

## GENERAL INSTRUCTIONS

### RESISTANT WEEDS WARNING

<b>GROUP</b>	<b>I</b>	<b>HERBICIDE</b>
--------------	----------	------------------

Surefire Dicamba M Selective Herbicide contains members of the Benzoic acid and Phenoxy groups of herbicides. Dicamba M has the Disruptors of plant cell growth mode of action. For weed resistance management Dicamba M is a Group I Herbicide. Some naturally-occurring weed biotypes resistant to Dicamba M and other Group I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Dicamba M or any other Group I Herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, PCT Holdings Pty Ltd accepts no liability for any losses that may result from the failure of Dicamba M to control resistant weeds.

#### MIXING

Add the required amount of Dicamba M directly to the tank and mix well.

#### APPLICATION

**For Boom Application:** Apply by a properly calibrated boom spray using not less than 50 litres of water per hectare unless indicated otherwise in the Critical Comments column.

**For Aerial Application:** Apply at least 25 litres total spray volume per hectare. The aircraft should fly as low as practical under the prevailing conditions to minimise drift.

**For High Volume Application:** Apply minimum 1500 litres per hectare.

**For Knapsack Application:** A 15 litre knapsack treats 150 square metres.

**NOTE:** Spray when weeds are young and actively growing. A temporary wilting may be evident in crops after application. If seasonal conditions are unusually late or dry seek further advice as damage may result from spraying under these conditions.

Growers should seek advice before spraying recently released cereal varieties.

There is a nil tolerance of pea seed contaminants in cereal grain and less than 100% control of Volunteer Peas could result in dockage.

#### COMPATIBILITY

Surefire Dicamba M is compatible with flowable Terbutryn.

#### PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

Spray equipment must be calibrated accurately prior to working on crops. Minimise spray drift by using low pressure and nozzles which do not give a fine droplet size.

DO NOT use in high wind.

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

Avoid spray drift onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins, fruit trees and ornamentals.


DO NOT apply this product on or near desirable trees or plants or in locations where the chemical may be washed or moved into contact with their roots. Keep container sealed (airtight) when not in use. All spray equipment must be thoroughly washed out after use and must not be used for spraying horticulture crops.

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

Crop & Situation	Weeds	State	Rate	Critical Comments
Barley, Commercial Rye, Triticale  From early tillering stage (Zadoks 21) until the fully tillered stage before jointing occurs (Zadoks 30) <b>Oats, Wheat</b>  From early tillering stage (Zadoks 21) until the fully tillered stage and before jointing occurs (Zadoks 30)	Volunteer Peas	SA only	1 L/ha plus 60 mL/ha Dicamba 500 g/L	Apply when most peas are 5-7 cm high.
			1 L/ha plus 120 mL/ha Dicamba 500 g/L	





**DIRECTIONS FOR USE** continued

Crop & Situation	Weeds	State	Rate			Critical Comments
			Per hectare	Per 100 litres	Per 15L Knapsack	
Grass Pastures	Bathurst Burr, Caltrop (Yellow Vine), Chicory, Crofon Weed, Cudweed, Dandelion, Deadnettle, Fleabanes, Fumitory, Groundsel, Heliotrope, Inkweed, Mintweed, Nettles, Noogoora Burr, Pennygrass, Potato weed, Ragwort, Ripplewort, Shepherd's Purse, Smartweed, Soft Rush, Stinkwort, Thistles including Cockspur, Scotch (Spear), Slender, Star, Variegated, Wireweed (Hogweed)	All States	2.8-4 L	190 mL – 270 mL	60 mL	Use the higher rate on larger weeds.
		Tas only				
	Buttercups, Hoary Cress seedlings, Horehound, Khaki Weed, Purple-Top, Veined Verbena	All States	4-7 L	470 mL	100 mL	When necessary a second treatment may be made after 4 weeks.



Turf	Weeds	State	Rate			Comments
	Bindy-Eye, Capeweed, Catsear, Chickweed, Clovers, Cotula, Creeping Oxalis, Cudweeds, Dandelion, Dock, Fleabanes, Fumitory, Jo-Jo (Onehunga), Lamb's Tongue, Medics, Mustards, Narrowleaved Plantain, Pearlwort, Pennywort, Peppergrass, Radish, Scarlet Pimpernel, Slender Thistle, Soldier Thistle, Spear Thistle, Toad Rush, Variegated Thistle, Wild Turnip, Wireweed (Hogweed), Fat-Hen, Purple-Top, Red Flowered Mallow, Staggerweed, Swinegrass	All States				Apply to actively growing weeds and moist soil. DO NOT use on Lippia, Strawberry Clover or Buffalo Grass. DO NOT mow turf for two days before or after application or fertilise within two weeks of spraying.
						<p><b>Golf Tee, Golf Green:</b> 100 mL in 15 L water per 150 m<sup>2</sup></p> <p><b>Bowling Green:</b> 900 mL in 200 L water per 1400 m<sup>2</sup></p> <p><b>Large Turf Area:</b> (Field, Park, Gold Fairway) 6.5 L in 250-400 L water per 10,000 m<sup>2</sup> (1 hectare)</p>
Non-crop situations	Artichoke, Bindweed, Fennel, Hemlock, Thistle seedlings	All States	5.2 L	350 mL	80 mL	A repeat spray may be necessary.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MATTER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHOLDING PERIOD:**  
DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 7 DAYS AFTER APPLICATION.

**HARVEST WITHOLDING PERIOD NOT REQUIRED WHEN USED AS DIRECTED.**

